

## **Must Include These Eight Basic Items in All CCRs:**

### **#1: Required Information about the Water System**

- Name/phone number of contact person
- Information on public participation opportunities
- Information for non-English speaking populations, if applicable

### **#2: Source(s) of Water**

- Type, name, and general location of water sources
- Availability of source water assessment
- Information on significant sources of contamination, if available

### **#3: Definitions (specific language)**

- MCL
- MCLG
- Others as needed

### **#4: Reported Levels of Detected Contaminants**

- Table summarizing data on detected regulated & unregulated contaminants
- Known or likely source of each detected contaminant
- Health effects language and explanation for any violations or exceedances

### **#5: Information on Monitoring for *Cryptosporidium*, Radon, and Other Contaminants**

- Warning for vulnerable populations about *Cryptosporidium*, if detected
- Explanation of radon and its presence in the finished water, if detected
- Explanation of unregulated contaminants and their presence in drinking water, if detected

### **#6: Compliance with Other Drinking Water Regulations**

- Explanation of violations, potential health effects, and steps taken to correct the violations
- Special notices for Groundwater Rule (GWR)

### **#7: Variances and Exemptions**

- Explanation of variance/exemption, if applicable

### **#8: Required Educational Information (specific language)**

- Explanation regarding contaminants that may reasonably be expected to be found in drinking water, including bottled water
- Information to customers that some people may be more vulnerable to contaminants in drinking water
- Explanation of contaminants and their presence in drinking water, if detected
- Informational statements on arsenic and nitrate, if necessary, and lead, always required